

FedEx USA Airbill

FedEx
Tracking
Number

820974329096

1 From Please print and press hard.

Date **6/08/00** Sender's FedEx Account Number **114761320**

Sender's Name **STEPHANIE HOHENBERGER** Phone (**765**) **452-5694**

Company **MILBANK MFG. CO.**

Address **1400 E. HAVENS STREET**

City **KOKOMO** State **IN** ZIP **46901**

2 Your Internal Billing Reference

To Recipient's Name Phone (**317**) **842-4261**

Company **TESTAMERICA INCORPORATED**

Address **6964 HILLSDALE CT**

To "HOLD" at FedEx location, print FedEx address here.
City **INDIANAPOLIS** State **IN** ZIP **46250**

NEW Peel and Stick FedEx USA Airbill

See back for application instructions.

Questions? Call 1-800-Go-FedEx® (800-463-3339)

Visit our Web site at www.fedex.com

By using this Airbill you agree to the service conditions on the back of this Airbill and in our current Service Guide, including terms that limit our liability.

SNA31
Form I.D. No. **0215** Sender's Name **+**

4a Express Package Service

☒ FedEx Priority Overnight Next business morning
☐ FedEx Standard Overnight Next business afternoon
☐ FedEx First Overnight Earliest next business morning delivery to select locations
☐ FedEx 2Day* Second business day
☐ FedEx Express Saver* Third business day

Packages up to 150 lbs.

Delivery commitment may be later in some areas.

* FedEx Letter Rate not available Minimum charge: One-pound rate

4b Express Freight Service

☐ FedEx 1Day Freight* Next business day
☐ FedEx 2Day Freight Second business day
☐ FedEx 3Day Freight Third business day

Packages over 150 lbs.

Delivery commitment may be later in some areas.

* Call for Confirmation:

5 Packaging

☐ FedEx Letter* ☐ FedEx Pak* ☒ Other Pkg. Includes FedEx Box, FedEx Tube, and customer pkg.

* Declared value limit \$500

6 Special Handling

☐ Saturday Delivery Available for FedEx Priority Overnight and FedEx 2Day to select ZIP codes
☐ Sunday Delivery Available for FedEx Priority Overnight to select ZIP codes
☐ HOLD Weekday at FedEx Location Available for FedEx First Overnight
☐ HOLD Saturday at FedEx Location Available for FedEx Priority Overnight and FedEx 2Day to select locations

Does this shipment contain dangerous goods?

☐ No ☐ Yes One box must be checked.
☐ Yes As per attached Shipper's Declaration
☐ Yes Shipper's Declaration not required
☐ Dry Ice Dry Ice, 9 UN 1845 x kg
☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.
☐ Sender Acct. No. in Section 1 will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

FedEx Acct. No. **1158-0119-8** Exp. Date

Total Packages **1** Total Weight **20#5** Total Declared Value† \$ **.00**

† Our liability is limited to \$100 unless you declare a higher value. See back for details.

FedEx Use Only

8 Release Signature

Sign to authorize delivery without obtaining signature.

By signing you authorize us to deliver this shipment without obtaining a signature and agree to indemnify and hold us harmless from any resulting claims.

359

0138920775

Rev. Date 11/99-Part #154813G-©1994-98 FedEx-PRINTED IN U.S.A. GBFE 4/00

RETAIN THIS COPY FOR YOUR RECORDS

MIL0003902

JUN 9 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

06/02/2000

Job Number: 00.02680
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
267282	TWICE A MONTH - ZINC ONLY	05/25/2000	05/26/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.



Project Representative

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

06/02/2000

Job No.: 00.02680
Page 2 of 3

Date Received: 05/26/2000
Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D.	Sample Date/ Units	Analyst & Date Analyzed	Method	Reporting Limit
267282	05/25/2000			
TWICE A MONTH - ZINC ONLY				
Zinc, ICP	mg/L	crm / 06/01/2000	EPA 200.7	<0.020

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

Page_____ of _____

Rattles, Sounded **MIL0003906** Yes ☐

THURS.
5-25-00

JUN 9 2000



Corporate Office:

P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

TIME		METER READING	
7:30	1	413260	0 → 0 mil
8:00	2	413380	120 → 49 mil
8:30	3	413580	200 → 81 mil
9:00	4	413760	180 → 73 mil
9:30	5	413940	190 → 73 mil
10:00	6	414130	190 → 77 mil
10:30	7	414320	190 → 77 mil
11:00	8	414500	180 → 73 mil
11:30	9	414680	180 → 73 mil
12:00	10	414680	0 → 0 mil
12:30	11	414850	170 → 69 mil
1:00	12	415020	170 → 69 mil
1:30	13	415220	200 → 81 mil
2:00	14	415230	10 → 4 mil
2:30	15	415380	150 → 61 mil
3:00	16	415530	150 → 61 mil
3:30	17	415730	200 → 81 mil
2470			

Manufacturer of Meter Mounting Equipment Since 1927
Kansas City, MO • El Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV

MIL0003907

DAILY: EVERY DAY SYSTEM RUNS

1X WEEK: 1 DAY-OF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)

1X MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH

SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: (1)

Discharge Limitations

Monitoring Requirements

	Regulated Parameter	Maximum for Any one Day mg/L	RESULT	DATE TAKEN	Monitoring Frequency	Sample Type
<i>Cd</i>	Cadmium[5]	.02			Semi-Annual	Composite[2]
<i>Cr</i>	Total Chromium[5]	2.0			Semi-Annual	Composite[2]
<i>Cu</i>	Copper[5]	0.60			Semi-Annual	Composite[2]
<i>Ca</i>	Cyanide	0.50			Semi-Annual	Grab
<i>Pb</i>	Lead[5]	0.10			Semi-Annual	Composite[2]
<i>Ni</i>	Nickel[5]	0.80			Semi-Annual	Composite[2]
<i>Ag</i>	Silver[5]	0.24			Semi-Annual	Composite[2]
<i>Zn</i>	Zinc[5]	1.25	.035	5-25-00	1 X Week	Composite[2]
<i>FOG</i>	Oil and Grease[6]	100			Semi-Annual	Grab
<i>OIL + GREASE HYDROCARBONS</i>	TPH[6]	(Monitor and report)			Semi-Annual	Grab
	pH	6-10			Daily	Grab
	CBOD [4]	(Monitor and report)			1 X Month	Composite[2]
<i>Nh3</i>	Ammonia [4]	(Monitor and report)			1 X Month	Composite[2]
	COD [4]	(Monitor and report)			1 X Month	Composite[2]
	TSS [4]	(Monitor and report)			1 X Month	Composite[2]
	Flow	N/A			Daily [3]	
<i>*</i>	FTO	2.13			Semi-Annual	Grab
	Phenol	0.50			Semi-Annual	Grab
<i>Mo</i>	Molybdenum[5]	(Monitor and report)			1 X Month	Composite[2]

SEND TFO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR CATEGORICAL STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)

THURS.
5-25-00



Corporate Office:

P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

<i>TIME</i>	<i>METER READING</i>
7:30	413260
8:00	413380
8:30	413580
9:00	413760
9:30	413940
10:00	414130
10:30	414320
11:00	414500
11:30	414680
12:00	414680
12:30	414850
1:00	415020
1:30	415220
2:00	415230
2:30	415380
3:00	415530
3:30	415730

Manufacturer of Meter Mounting Equipment Since 1927
Kansas City, MO • El Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV

MIL0003909

JUN 9 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/30/2000

Job Number: 00.02558
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
266695	TWICE A MONTH - ZINC ONLY	05/18/2000	05/19/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.


Project Representative

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/30/2000

Job No.: 00.02558
Page 2 of 3

Date Received: 05/19/2000
Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D.	Sample Date/ Units	Analyst & Date Analyzed	Reporting Limit
Parameters	Result	Flag	Method
266695	TWICE A MONTH - ZINC ONLY	05/18/2000	
Zinc, ICP	0.13	mg/L	crm / 05/26/2000 EPA 200.7 <0.020

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

MIL0003913

5-18-00
THURS

JUN 9 2000



Corporate Office:

P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

TIME	METER READING
7:30	407150 0 → 0ml
8:00	407330 180 → 69ml
8:30	407530 200 → 77ml
9:00	407720 190 → 73ml
9:30	407910 190 → 73ml
10:00	408080 170 → 65ml
10:30	408260 180 → 69ml
11:00	408280 20 → 8ml
11:30	408430 150 → 58ml
12:00	408530 100 → 38ml
12:30	408610 80 → 31ml
1:00	408790 180 → 69ml
1:30	408990 200 → 77ml
2:00	409180 190 → 73ml
2:30	409390 210 → 81ml
3:00	409560 170 → 65ml
3:30	409750 190 → 73ml
	2000

Manufacturer of Meter Mounting Equipment Since 1927
Kansas City, MO • El Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV

MIL0003914

MAY 26 2000

TestAmerica

INCORPORATED

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/23/2000

Job Number: 00.02432
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WEEKLY WASTEWATER

Sample Number	Sample Description	Date Taken	Date Received
266128	WEEKLY - ZINC ONLY	05/11/2000	05/12/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.


Project Representative

MAY 26 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/23/2000

Job No.: 00.02432
Page 2 of 3

Date Received: 05/12/2000
Job Description: WEEKLY WASTEWATER

Sample Number / Sample I.D.	Sample Date/	Analyst &		Reporting
Parameters	Result	Flag	Units	Date Analyzed
				Method
				Limit
266128	WEEKLY - ZINC ONLY	05/11/2000		
Zinc, ICP	0.048	mg/L	out / 05/22/2000	EPA 200.7
				<0.020

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

Chain of Custody Record

MAY 26 2000

<input type="checkbox"/> Asheville, NC (A) (828) 254-5169 <input type="checkbox"/> Atlanta, GA (B) (770) 368-0636 <input type="checkbox"/> Bartlett, IL (C) (630) 289-3100 <input type="checkbox"/> Brighton, CO (D) (303) 659-0497 <input type="checkbox"/> Cedar Falls, IA (E) (319) 277-2401 <input type="checkbox"/> Charleston, SC (F) (843) 849-6550 <input type="checkbox"/> Charlotte, NC (G) (704) 392-1164 <input type="checkbox"/> Columbia, SC (H) (803) 796-8989 <input type="checkbox"/> Davenport, IA (J) (319) 323-7944 <input checked="" type="checkbox"/> Indianapolis, IN (L) (317) 842-4261 <input type="checkbox"/> Lumberton, NC (K) (910) 738-6190 <input type="checkbox"/> Nashville, TN (M) (615) 726-0177 <input type="checkbox"/> Pontiac, MI (O) (248) 332-1940 <input type="checkbox"/> Rockford, IL (Q) (815) 874-2171 <input type="checkbox"/> Watertown, WI (R) (920) 261-1660		Project No.: Invoice Address: Attn.: Sampled By: <u>MEMILLIK</u> P.O. No.: Quote No.: State Samples Collected: Date Needed:		Requested Parameters: Is this work being conducted for regulatory compliance monitoring? Yes <input type="checkbox"/> No <input type="checkbox"/> Is this work being conducted for regulatory enforcement action? Yes <input type="checkbox"/> No <input type="checkbox"/> Which regulations apply: RCRA <input type="checkbox"/> NPDES <input type="checkbox"/> Wastewater <input type="checkbox"/> UST <input type="checkbox"/> Drinking Water <input type="checkbox"/> Other <input type="checkbox"/> None <input type="checkbox"/>	
Client: <u>M.I. bank</u> Report Address: Attn.: Phone No.: Fax No.: TURNAROUND TIME <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (surcharges may apply)		Sample ID Date <u>5/11/2000</u> Time <u>1530</u> Matrix <u>WW</u> Comp (C) Grab (G) <u>C</u> Lab Use <u>X</u>		REMARKS <u>18 Please Composite using flow Readings</u>	
QC Deliverables: <input type="checkbox"/> None <input type="checkbox"/> Level 2 - Batch QC <input type="checkbox"/> Level 3 <input type="checkbox"/> Level 4 <input type="checkbox"/> Other		Intit Lab Temp Rec Lab Temp		N/A	

COMMENTS:

Relinquished By: <u>MEMILLIK</u>	Received By: <u>JM</u>	Date: <u>5/12/00</u>	Time: <u>15:30</u>	LAB USE ONLY:
Relinquished By:	Received By:	Date:	Time:	
Relinquished By:	Received By:	Date:	Time:	
Relinquished By:	Received By:	Date:	Time:	

Custody Seal: ☐ Yes ☐ No ☐ N/A
 Bottles Supplied by TA: ☐ Yes ☐ No ☐ N/A

MIL0003918

5-12-00



Corporate Office:

P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

<i>TIME</i>	<i>METER READING</i>
7:30	402900
8:00	402910
8:30	403080
9:00	403260
9:30	403450
10:00	403650
10:30	403760
11:00	403880
11:30	403990
12:00	404170
12:30	404360
1:00	404550
1:30	404730
2:00	404900
2:30	405080
3:00	405280
3:30	405470

Manufacturer of Meter Mounting Equipment Since 1927
Kansas City, MO • El Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV

MIL0003919

MAY 17 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/12/2000

Job Number: 00.02272
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
265444	MONTHLY SAMPLE	05/04/2000	05/05/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.


Project Representative

MAY 17 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/12/2000

Job No.: 00.02272

Page 2 of 3

Date Received: 05/05/2000

Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D.			Sample Date/	Analyst &		Reporting
Parameters	Result	Flag	Units	Date Analyzed	Method	Limit
265444	MONTHLY SAMPLE		05/04/2000			
CBOD - Five Day	100		mg/L	jen / 05/11/2000	EPA 405.1	<5.
CBOD - Five Day (PREP)	Complete			jen / 05/06/2000	EPA 405.1	Complete
COD	1,000	dlx2	mg/L	jen / 05/11/2000	EPA 410.4	<10.
Nitrogen, Ammonia Dist.	0.96		mg/L	sld / 05/11/2000	EPA 350.1	<0.10
Solids, Suspended	<5		mg/L	tpd / 05/09/2000	EPA 160.2	<5.
Distillation, Ammonia	Complete			sld / 05/10/2000		Complete
Molybdenum, ICP	0.045		mg/L	crm / 05/09/2000	EPA 200.7	<0.020
Zinc, ICP	0.42		mg/L	crm / 05/09/2000	EPA 200.7	<0.020

MAY 17 2000

Page 3 of 3

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

TESTAMERICA INC.

MAY 17 2000

e 1 of 1

Chain of Custody Record

<input type="checkbox"/> Asheville, NC (A) (828) 254-5169 <input type="checkbox"/> Atlanta, GA (B) (770) 368-0636 <input type="checkbox"/> Bartlett, IL (C) (630) 289-3100 <input type="checkbox"/> Brighton, CO (D) (303) 659-0497 <input type="checkbox"/> Cedar Falls, IA (E) (319) 277-2401 <input type="checkbox"/> Charleston, SC (F) (843) 849-6550 <input type="checkbox"/> Charlotte, NC (G) (704) 392-1164 <input type="checkbox"/> Columbia, SC (H) (803) 796-8989 <input type="checkbox"/> Dayton, OH (I) (937) 294-6856 <input checked="" type="checkbox"/> Davenport, IA (J) (319) 323-7944 <input type="checkbox"/> Indianapolis, IN (L) (317) 842-4261 <input type="checkbox"/> Lumberton, NC (K) (910) 738-6190 <input type="checkbox"/> Maccon, GA (N) (912) 757-0811 <input type="checkbox"/> Macon, FL (P) (407) 851-2560 <input type="checkbox"/> Miami, MI (O) (248) 332-1940 <input type="checkbox"/> Nashville, TN (M) (615) 726-0177 <input type="checkbox"/> Pontiac, MI (Q) (815) 874-2171 <input type="checkbox"/> Rockford, IL (Q) (815) 874-2171 <input type="checkbox"/> Watertown, WI (R) (920) 261-1660		Project No.: <u>Monthly Wastewater</u> Invoice Address: <u>Kokomo, IN 46901</u> Attn: <u>Mr. Roger Glendeney</u> Phone No.: Fax No.: TURNAROUND TIME <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (surcharges may apply)		Date Needed: _____ State Samples Collected Date: _____		Is this work being conducted for regulatory compliance monitoring? Yes ___ No ___ Is this work being conducted for regulatory enforcement action? Yes ___ No ___ Which regulations apply: RCRA ___ NPDES Wastewater ___ UST ___ Drinking Water ___ Other ___									
Client: <u>M. Bank Manufacturing</u> Report Address: <u>1400 E. Havens St.</u> Attn: <u>Mr. Roger Glendeney</u> Phone No.: Fax No.: TURNAROUND TIME <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (surcharges may apply)		Project No.: <u>Monthly Wastewater</u> Invoice Address: <u>Kokomo, IN 46901</u> Attn: <u>Mr. Roger Glendeney</u> Phone No.: Fax No.: TURNAROUND TIME <input checked="" type="checkbox"/> Standard <input type="checkbox"/> Rush (surcharges may apply)		Date Needed: _____ State Samples Collected Date: _____		Is this work being conducted for regulatory compliance monitoring? Yes ___ No ___ Is this work being conducted for regulatory enforcement action? Yes ___ No ___ Which regulations apply: RCRA ___ NPDES Wastewater ___ UST ___ Drinking Water ___ Other ___									
Sample ID <u>monthly-comp</u>		Date <u>5/17/2000</u>		Time <u>1530</u>		Matrix <u>WW</u>		Comp (C) Grab (G) <u>C</u>		Lab Use <u>TS5</u>		# and type of containers <u>18</u>		REMARKS <u>Please compare using flow readings</u>	
QC Deliverables: <input type="checkbox"/> None <input type="checkbox"/> Level 2 - Batch QC <input type="checkbox"/> Level 3 <input type="checkbox"/> Level 4 <input type="checkbox"/> Other		Date <u>5/17/2000</u>		Time <u>1530</u>		Matrix <u>WW</u>		Comp (C) Grab (G) <u>C</u>		Lab Use <u>TS5</u>		# and type of containers <u>18</u>		REMARKS <u>Please compare using flow readings</u>	
COMMENTS:		Relinquished By: <u>MEMILLIKEN</u>		Date: <u>5/17/2000</u>		Time: <u>1530</u>		Received By: <u>[Signature]</u>		Date: <u>5/17/2000</u>		Time: <u>1530</u>		LAB USE ONLY:	
Relinquished By:		Date:		Time:		Received By:		Date:		Time:		Custody Seal: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Bottles Supplied by TA: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Relinquished By:		Date:		Time:		Received By:		Date:		Time:		Custody Seal: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Bottles Supplied by TA: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Relinquished By:		Date:		Time:		Received By:		Date:		Time:		Custody Seal: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A		Bottles Supplied by TA: <input type="checkbox"/> Yes <input type="checkbox"/> No	

MIL0003923

DAILY: EVERY DAY SYSTEM RUNS

1X WEEK: 1 DAY OF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)

1X MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH

SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: (1)

Discharge Limitations

Monitoring Requirements

	<u>Regulated Parameter</u>	<u>Maximum for Any one Day mg/L</u>	<u>RESULT</u>	<u>DATE TAKEN</u>	<u>Monitoring Frequency</u>	<u>Sample Type</u>
Cd	Cadmium[5]	.02			Semi-Annual	Composite[2]
Cr	Total Chromium[5]	2.0			Semi-Annual	Composite[2]
Cu	Copper[5]	0.60			Semi-Annual	Composite[2]
Ca	Cyanide	0.50			Semi-Annual	Grab
Pb	Lead[5]	0.10			Semi-Annual	Composite[2]
Ni	Nickel[5]	0.80			Semi-Annual	Composite[2]
Ag	Silver[5]	0.24			Semi-Annual	Composite[2]
Zn	Zinc[5]	1.25	0.42	5-4-00	1 X Week	Composite[2]
FOG	Oil and Grease[6]	100			Semi-Annual	Grab
OIL + GREASE HYDROCARBONS	TPH[6]	(Monitor and report)			Semi-Annual	Grab
	pH	6-10			Daily	Grab
	CBOD [4]	(Monitor and report)	100	5-4-00	1 X Month	Composite[2]
Nh3	Ammonia [4]	(Monitor and report)	0.96	5-4-00	1 X Month	Composite[2]
	COD [4]	(Monitor and report)	1,000	5-4-00	1 X Month	Composite[2]
	TSS [4]	(Monitor and report)	< 5	5-4-00	1 X Month	Composite[2]
	Flow	N/A			Daily [3]	
*	TTO	2.13			Semi-Annual	Grab
	Phenol	0.50			Semi-Annual	Grab
Mo	Molybdenum[5]	(Monitor and report)	0.045	5-4-00	1 X Month	Composite[2]

SEND TTO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR CATEGORICAL STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)

MIL0003924

THURS.
5-4-00



Corporate Office:

P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

TIME	METER READING
7:30	397200
8:00	397200
8:30	397250
9:00	397300
9:30	397440
10:00	397580
10:30	397750
11:00	397920
11:30	398090
12:00	398280
12:30	398480
1:00	398680
1:30	398890
2:00	399100
2:30	399300
3:00	399510
3:30	399670

Manufacturer of Meter Mounting Equipment Since 1927
Kansas City, MO • El Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV

MIL0003925

MAY 9 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/05/2000

Job Number: 00.02132
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
264933	TWICE A MONTH - ZINC ONLY	04/27/2000	04/28/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.



Project Representative

MAY 9 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/05/2000

Job No.: 00.02132

Page 2 of 3

Date Received: 04/28/2000

Job Description: WASTEWATER ANALYSIS

Sample Number / Sample I.D.	Result	Flag	Sample Date/ Units	Analyst & Date Analyzed	Method	Reporting Limit
264933	TWICE A MONTH - ZINC ONLY		04/27/2000			
Zinc, ICP	0.042		mg/L	crm / 05/04/2000	EPA 200.7	<0.020

KEY TO ABBREVIATIONS

- < Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
- % Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
- * Indicates the Reporting Limit is elevated due to insufficient sample volume.
- mg/L Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
- ug/L Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
- mg/kg Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
- ug/kg Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
- a Indicates the sample concentration was quantitated using a diesel fuel standard.
- b Indicates the analyte of interest was also found in the method blank.
- c Sample resembles unknown Hydrocarbon.
- dw When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
- d1 Indicates the analyte has elevated Reporting Limit due to high concentration.
- d2 Indicates the analyte has elevated Reporting Limit due to matrix.
- e Indicates the reported concentration is estimated.
- g Indicates the sample concentration was quantitated using a gasoline standard.
- h Indicates the sample was analyzed past recommended holding time.
- i Insufficient spike concentration due to high analyte concentration in the sample.
- j Indicates the reported concentration is below the Reporting Limit.
- k Indicates the sample concentration was quantitated using a kerosene standard.
- l Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
- m Indicates the sample concentration was quantitated using a mineral spirits standard.
- o Indicates the sample concentration was quantitated using a motor oil standard.
- p Indicates the sample was post spiked due to sample matrix.
- q Indicates MS/MSD exceeded control limits. The associated sample may exhibit similar matrix bias. All other quality control indicators are in control.
- r Indicates the sample was received past recommended holding time.
- u Indicates the sample was received improperly preserved and/or improperly contained.
- uj Indicates the result is below the Reporting Limit and is considered estimated.
- z Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

MIL0003929

4-27-00



Corporate Office:

P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

<i>TIME</i>	<i>METER READING</i>
7:30	392840
8:00	392860
8:30	393050
9:00	393240
9:30	393340
10:00	393630
10:30	393800
11:00	393950
11:30	394110
12:00	394120
12:30	394120
1:00	394120
1:30	394130
2:00	394140
2:30	394300
3:00	394480
3:30	394670

Manufacturer of Meter Mounting Equipment Since 1927
Kansas City, MO • El Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV

MIL0003930

DAILY: EVERY DAY SYSTEM RUNS

1X WEEK: 1 DAY OF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)

1X MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH

SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: (1)

Discharge Limitations

Monitoring Requirements

	Regulated Parameter	Maximum for Any one Day mg/L	RESULT	DATE TAKEN	Monitoring Frequency	Sample Type
<i>Cd</i>	Cadmium[5]	.02			Semi-Annual	Composite[2]
<i>Cr</i>	Total Chromium[5]	2.0			Semi-Annual	Composite[2]
<i>Cu</i>	Copper[5]	0.60			Semi-Annual	Composite[2]
<i>Ca</i>	Cyanide	0.50			Semi-Annual	Grab
<i>Pb</i>	Lead[5]	0.10			Semi-Annual	Composite[2]
<i>Ni</i>	Nickel[5]	0.80			Semi-Annual	Composite[2]
<i>Ag</i>	Silver[5]	0.24			Semi-Annual	Composite[2]
<i>Zn</i>	Zinc[5]	1.25	.042	4/27/00	1 X Week	Composite[2]
<i>FOG</i>	Oil and Grease[6]	100			Semi-Annual	Grab
<i>OIL + GREASE HYDROCARBONS</i>	TPH[6]	(Monitor and report)			Semi-Annual	Grab
	pH	6-10			Daily	Grab
	CBOD [4]	(Monitor and report)			1 X Month	Composite[2]
<i>Nh3</i>	Ammonia [4]	(Monitor and report)			1 X Month	Composite[2]
	COD [4]	(Monitor and report)			1 X Month	Composite[2]
	TSS [4]	(Monitor and report)			1 X Month	Composite[2]
	Flow	N/A			Daily [3]	
<i>*</i>	TTO	2.13			Semi-Annual	Grab
	Phenol	0.50			Semi-Annual	Grab
<i>Mo</i>	Molybdenum[5]	(Monitor and report)			1 X Month	Composite[2]

SEND TTO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR CATEGORICAL STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)

MAY 9 2000

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/03/2000

Job Number: 00.01872
Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to TestAmerica, Inc. Indianapolis Division for analysis:

Project Description: WEEKLY WASTEWATER ANALYSIS

Sample Number	Sample Description	Date Taken	Date Received
264029	OUTFALL 001 - COMP	04/13/2000	04/15/2000

TestAmerica, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.


Project Representative

ANALYTICAL REPORT

Mr. Richard Tyler
MILBANK MANUFACTURING INC
1400 E. Havens Street
Kokomo, IN 56901-3188

05/03/2000

Job No.: 00.01872
Page 2 of 3

Date Received: 04/15/2000
Job Description: WEEKLY WASTEWATER ANALYSIS

Sample Number / Sample I.D.	Parameters	Result	Flag	Sample Date/ Units	Analyst & Date Analyzed	Method	Reporting Limit
264029	OUTFALL 001 - COMP			04/13/2000			
	Zinc, ICP	0.055		mg/L	crm / 05/02/2000	EPA 200.7	<0.020

KEY TO ABBREVIATIONS

<	Less than; when appearing in the result column, indicates analyte not detected at or above the Reporting Limit.
%	Percent; To convert ppm to %, divide result by 10,000. To convert % to ppm, multiply the result by 10,000.
*	Indicates the Reporting Limit is elevated due to insufficient sample volume.
mg/L	Part per million; Concentration in units of milligrams of analyte per Liter of aqueous sample.
ug/L	Part per billion; Concentration in units of micrograms of analyte per Liter of aqueous sample.
mg/kg	Part per million; Concentration in units of milligrams of analyte per kilogram of non-aqueous sample.
ug/kg	Part per billion; Concentration in units of micrograms of analyte per kilogram of non-aqueous sample.
a	Indicates the sample concentration was quantitated using a diesel fuel standard.
b	Indicates the analyte of interest was also found in the method blank.
c	Sample resembles unknown Hydrocarbon.
dw	When indicated, the result is reported on a dry weight basis. The contribution of the moisture content in the sample has been subtracted when calculating the concentration.
d1	Indicates the analyte has elevated Reporting Limit due to high concentration.
d2	Indicates the analyte has elevated Reporting Limit due to matrix.
e	Indicates the reported concentration is estimated.
g	Indicates the sample concentration was quantitated using a gasoline standard.
h	Indicates the sample was analyzed past recommended holding time.
i	Insufficient spike concentration due to high analyte concentration in the sample.
j	Indicates the reported concentration is below the Reporting Limit.
k	Indicates the sample concentration was quantitated using a kerosene standard.
l	Indicates an MS/MSD was not analyzed due to insufficient sample. An LCS / LCS Duplicate provided for precision.
m	Indicates the sample concentration was quantitated using a mineral spirits standard.
o	Indicates the sample concentration was quantitated using a motor oil standard.
p	Indicates the sample was post spiked due to sample matrix.
q	Indicates MS/MSD exceeded control limits. All other Quality Control Indicators were in control.
r	Indicates the sample was received past recommended holding time.
u	Indicates the sample was received improperly preserved and/or improperly contained.
uj	Indicates the result is below the Reporting Limit and is considered estimated.
z	Indicates the BOD dilution water blank depletion was between 0.2 and 0.5 mg/L.

MIL0003935

4-13-00



Corporate Office:

P.O. Box 419028, Kansas City, Missouri 64141-0028 • (816) 483-5314 • FAX: 483-6357

<i>TIME</i>	<i>METER READING</i>
7:30	382480
8:00	382540
8:30	382740
9:00	382940
9:30	383140
10:00	383340
10:30	383540
11:00	383740
11:30	383940
12:00	384160
12:30	384390
1:00	384500
1:30	384650
2:00	384770
2:30	384900
3:00	385000
3:30	385090

Manufacturer of Meter Mounting Equipment Since 1927
Kansas City, MO • El Dorado, AR • Concordia, MO • Kokomo, IN • Reno, NV

MIL0003936

DAILY: EVERY DAY SYSTEM RUNS

1X WEEK: 1 DAY OF WEEK COMPOSITE IS TAKEN (USUALLY THURSDAY)

1X MONTH: TO BE TAKEN FIRST WEEK COMPOSITE IS TAKEN FOR THAT MONTH

SEMI-ANNUAL: TO BE TAKEN FIRST WEEK IN JUNE AND FIRST WEEK IN DECEMBER

PART I

A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Beginning the effective date of this permit and lasting until the expiration date, the permittee is authorized to discharge process wastewater, through discharge point # 2. Discharge through discharge point # 2 shall be limited and monitored by the permittee as specified below: |||

Discharge Limitations

Monitoring Requirements

	<u>Regulated Parameter</u>	<u>Maximum for Any one Day mg/L</u>	<u>RESULT</u>	<u>DATE TAKEN</u>	<u>Monitoring Frequency</u>	<u>Sample Type</u>
Cd	Cadmium[5]	.02			Semi-Annual	Composite[2]
Cr	Total Chromium[5]	2.0			Semi-Annual	Composite[2]
Cu	Copper[5]	0.60			Semi-Annual	Composite[2]
Ca	Cyanide	0.50			Semi-Annual	Grab
Pb	Lead[5]	0.10			Semi-Annual	Composite[2]
Ni	Nickel[5]	0.80			Semi-Annual	Composite[2]
Ag	Silver[5]	0.24			Semi-Annual	Composite[2]
Zn	Zinc[5]	1.25			1 X Week	Composite[2]
FOG	Oil and Grease[6]	100	.055	4/13/00	Semi-Annual	Grab
OIL + GREASE HYDROCARBONS	TPH[6]	(Monitor and report)			Semi-Annual	Grab
	pH	6-10			Daily	Grab
	CBOD [4]	(Monitor and report)			1 X Month	Composite[2]
Nh3	Ammonia [4]	(Monitor and report)			1 X Month	Composite[2]
	COD [4]	(Monitor and report)			1 X Month	Composite[2]
	TSS [4]	(Monitor and report)			1 X Month	Composite[2]
	Flow	N/A			Daily [3]	
* TTO		2.13			Semi-Annual	Grab
	Phenol	0.50			Semi-Annual	Grab
Mo	Molybdenum[5]	(Monitor and report)			1 X Month	Composite[2]

SEND TTO CERTIFICATION STATEMENT IN LIEU OF MONITORING ALONG WITH 40 CFR CATEGORICAL STATEMENT. MUST BE SENT EVERY JUNE AND DECEMBER (SEMI-ANNUAL)

MIL0003937